




MSE Starter Kit

- ① MSE Expander (8mm, 10mm & 12mm)
- ② Micro Implant (Ø1.8mm X 11,13,15,17 mm)
- ③ 2 Activation Keys (1 Short & 1 Long)
- ④ Mini Hand Driver
- ⑤ Ratchet Wrench Driver

TND

1200



MSE refill kit

- ① MSE Expander (8mm, 10mm & 12mm)
- ② Micro Implant (Ø1.8mm X 11,13,15,17 mm)
- ③ 2 Activation Keys (1 Short & 1 Long)
- ④ Safety Leashes with ③ activation key

TND

590



Patient demonstration model

- ① Plastic model with midline suture
- ② MSE molded to two molar bands
- ③ Four micro implant inserted
- ④ Key activation

TND

690

Brackets Roth 0.022


MIM Standard Roth Brackets
with laser mark 345 with hook

TND

19

MIM Standard Roth Brackets


in/out	0.8	0.8	0.8	1.18	0.8	0.8	1.18	0.8	0.8	0.8
torgue	-7°	-7°	-2°	8°	12°	12°	8°	-2°	-7°	-7°
tip	0°	0°	11°	9°	5°	5°	9°	11°	0°	0°
width	3.1	3.1	3.6	3.1	3.6	3.6	3.1	3.6	3.1	3.1



in/out	0.8	0.8	0.8	1.18	1.18	1.18	1.18	0.8	0.8	0.8
torgue	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
tip	0°	0°	5°	0°	0°	0°	0°	5°	0°	0°
width	3.1	3.1	3.1	2.4	2.4	2.4	2.4	3.1	3.1	3.1

Monoblock Mini Roth Brackets

in/out	0.8	0.8	0.8	1.18	0.8	0.8	1.18	0.8	0.8	0.8
torgue	-7°	-7°	-2°	8°	12°	12°	8°	-2°	-7°	-7°
tip	0°	0°	11°	9°	5°	5°	9°	11°	0°	0°
width	2.8	2.8	3	2.8	3	3	2.8	3	2.8	2.8



in/out	0.8	0.8	0.8	1.18	1.18	1.18	1.18	0.8	0.8	0.8
torgue	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
tip	0°	0°	5°	0°	0°	0°	0°	5°	0°	0°
width	2.8	2.8	2.8	2.5	2.5	2.5	2.5	2.8	2.8	2.8

Brackets mini Roth 0.022

MIM mini Roth Brackets with
laser mark 345 with hook

TND

15





Orthodontic miniscrew



Easy, safe and accurate insertion
Aesthetic satisfaction from small exposure in the oral cavity

TND

75



ACR	d ₁	d ₂	l ₁	l ₂	l ₃	D	Blade	Recommendation
OAS-T1207	1.15	1.20	6.00	1.00	1.90	2.20	SDB12, SEB12, MHD12	Mandible
OAS-T1208	1.15	1.20	6.50	1.50	1.90	2.20		Maxilla
OAS-T1365	1.25	1.30	5.50	1.00	1.89	2.20		Retromandible
OAS-T1375	1.25	1.30	6.00	1.50	1.89	2.20		Mandible
OAS-T1506T ¹	1.50	1.80	5.00	1.00	2.10	2.20		Anterior
OAS-T1507	1.45	1.50	6.00	1.00	2.10	2.20		For all uses
OAS-T1508	1.45	1.50	6.50	1.50	2.10	2.20		
OAS-T1509	1.45	1.50	7.00	2.00	2.10	2.20		Thick soft tissue
OAS-T1511	1.45	1.50	7.00	4.00	2.10	2.20		

¹ partially tapered

unit: mm






NiTi Achwires

- Available Numbers :
 - Round : 012/014/016/018
 - Rectang.: 16*16/16*22/17*25/18*25/19*25
- Forms : Ovoid, Rectangular, Orthoform
- ▲ Upper / ▼ Lower

TND

9.5



Stainless Steel Achwires

- Available Numbers :
 - Round : 012/014/016/018
 - Rectang.: 16*16/16*22/17*25/18*25/19*25
- Forms : Ovoid, Rectangular, Orthoform
- ▲ Upper / ▼ Lower

TND

9.5

Super Elastic NITI Archwire

Round	Size	Square	Ovoid	Natural
Upper	0.012" / 0.31mm	FN111-1U	FN112-1U	FN113-1U
	0.014" / 0.35mm	FN111-2U	FN112-2U	FN113-2U
	0.016" / 0.41mm	FN111-3U	FN112-3U	FN113-3U
	0.018" / 0.46mm	FN111-4U	FN112-4U	FN113-4U
	0.020" / 0.51mm	FN111-5U	FN112-5U	FN113-5U
Lower	0.012" / 0.31mm	FN111-1L	FN112-1L	FN113-1L
	0.014" / 0.35mm	FN111-2L	FN112-2L	FN113-2L
	0.016" / 0.41mm	FN111-3L	FN112-3L	FN113-3L
	0.018" / 0.46mm	FN111-4L	FN112-4L	FN113-4L
	0.020" / 0.51mm	FN111-5L	FN112-5L	FN113-5L

Rectangular	Size	Square	Ovoid	Natural
Upper	0.016x0.016" / 0.41x0.41mm	FN121-1U	FN122-1U	FN123-1U
	0.016x0.022" / 0.41x0.56mm	FN121-2U	FN122-2U	FN123-2U
	0.017x0.022" / 0.43x0.56mm	FN121-3U	FN122-3U	FN123-3U ★
	0.017x0.025" / 0.43x0.64mm	FN121-4U	FN122-4U	FN123-4U
	0.018x0.022" / 0.46x0.56mm	FN121-5U	FN122-5U	FN123-5U ★
	0.018x0.025" / 0.46x0.64mm	FN121-6U	FN122-6U	FN123-6U
	0.019x0.025" / 0.48x0.64mm	FN121-7U	FN122-7U	FN123-7U
	0.021x0.025" / 0.53x0.64mm	FN121-8U	FN122-8U	FN123-8U ★
Lower	0.016x0.016" / 0.41x0.41mm	FN121-1L	FN122-1L	FN123-1L
	0.016x0.022" / 0.41x0.56mm	FN121-2L	FN122-2L	FN123-2L
	0.017x0.022" / 0.43x0.56mm	FN121-3L	FN122-3L	FN123-3L ★
	0.017x0.025" / 0.43x0.64mm	FN121-4L	FN122-4L	FN123-4L
	0.018x0.022" / 0.46x0.56mm	FN121-5L	FN122-5L	FN123-5L ★
	0.018x0.025" / 0.46x0.64mm	FN121-6L	FN122-6L	FN123-6L
	0.019x0.025" / 0.48x0.64mm	FN121-7L	FN122-7L	FN123-7L
	0.021x0.025" / 0.53x0.64mm	FN121-8L	FN122-8L	FN123-8L ★

Stainless Steel Archwire

Round	Size	Square	Ovoid	Natural
Upper	0.012" / 0.31mm	FN411-1U	FN412-1U	FN413-1U
	0.014" / 0.35mm	FN411-2U	FN412-2U	FN413-2U
	0.016" / 0.41mm	FN411-3U	FN412-3U	FN413-3U
	0.018" / 0.46mm	FN411-4U	FN412-4U	FN413-4U
	0.020" / 0.51mm	FN411-5U	FN412-5U	FN413-5U ★
Lower	0.012" / 0.31mm	FN411-1L	FN412-1L	FN413-1L
	0.014" / 0.35mm	FN411-2L	FN412-2L	FN413-2L
	0.016" / 0.41mm	FN411-3L	FN412-3L	FN413-3L
	0.018" / 0.46mm	FN411-4L	FN412-4L	FN413-4L
	0.020" / 0.51mm	FN411-5L	FN412-5L	FN413-5L ★

Rectangular	Size	Square	Ovoid	Natural
Upper	0.016x0.016" / 0.41x0.41mm	FN421-1U	FN422-1U	FN423-1U
	0.016x0.022" / 0.41x0.56mm	FN421-2U	FN422-2U	FN423-2U
	0.017x0.022" / 0.43x0.56mm	FN421-3U	FN422-3U	FN423-3U ★
	0.017x0.025" / 0.43x0.64mm	FN421-4U	FN422-4U	FN423-4U
	0.018x0.022" / 0.46x0.56mm	FN421-5U	FN422-5U	FN423-5U ★
	0.018x0.025" / 0.46x0.64mm	FN421-6U	FN422-6U	FN423-6U
	0.019x0.025" / 0.48x0.64mm	FN421-7U	FN422-7U	FN423-7U
	0.021x0.025" / 0.53x0.64mm	FN421-8U	FN422-8U	FN423-8U ★
Lower	0.016x0.016" / 0.41x0.41mm	FN421-1L	FN422-1L	FN423-1L
	0.016x0.022" / 0.41x0.56mm	FN421-2L	FN422-2L	FN423-2L
	0.017x0.022" / 0.43x0.56mm	FN421-3L	FN422-3L	FN423-3L ★
	0.017x0.025" / 0.43x0.64mm	FN421-4L	FN422-4L	FN423-4L
	0.018x0.022" / 0.46x0.56mm	FN421-5L	FN422-5L	FN423-5L ★
	0.018x0.025" / 0.46x0.64mm	FN421-6L	FN422-6L	FN423-6L
	0.019x0.025" / 0.48x0.64mm	FN421-7L	FN422-7L	FN423-7L
	0.021x0.025" / 0.53x0.64mm	FN421-8L	FN422-8L	FN423-8L ★



NiTi Open Coil Spring

Size : 012x030"
Length : 3 feet (914mm)

TND

30



Retainer Wire

Size : 0.01*0.028*6inch
(W0.7mm,h0.25mm L 150mm)
package : 10pcs/bag
Material : Medical Stainless Steel

TND

57




Kobayashi Tie (Long)

022

TND

15




TOOTH TORQUE SPRING

- ① Available Numbers :
- 17x25
- 18x25
- ② Size : small, medium, large
- ③ Material : Niti

TND

25



Molar tubes (4pcs)

- ① 1st or 2nd molar Roth tubes
- ② non convertible
- ③ Four tubes UR/UL/LR/LL
- ④ mesh based

TND

7



Ligature Tie

TND

20



Power Chain

5m/spool

TND

20



O-RING INTER ORALE LASTICS

- 1/8 5
- 1/8 6.5
- 3/16 5
- 3/16 6.5
- 1/4 5.0
- 1/4 6.5

TND

70



Rotation wedge (2pcs)

TND

5



SLIDING CRIMPABLE HOOK

Left and right
10pcs / bag

TND

25



STOP LOCKS WITH HOOK

TND


50



STOP LOCKS WITHOUT HOOK

TND

27



CRIMPABLE STOPS

0.5MM

TND

15



TRACTION HOOK

rectangular
round

TND

20



TONGUE TAMER

TND

25



BITE OPENER

TND

25



Retainer Wire bag (sachet)

Size :0.01*0.028*6inch
(W0.7mm,h0.25mm L 150mm)

package :10pcs/bag

Material :Medical Stainless Steel

TND

35



cheek retractor

- Small
- Medium
- Large

TND

4



UNILATERAL CHEEK RETRACTOR

clear

TND

15



Pull Headgear Face Mask with Double Lever

TND

75



MULTI FUNCTION CHEEK RETRACTOR

- LARGE
- MEDIUM
- SMALL

TND


15



Plastic Dental Storage Box

TND

5



Pull Headgear Facemask

(masque de petit)

TND

75



LIGATURE GUN

Small
Medium
Large

TND

39



METAL CLASS II DISTALIZER

2 pcs / set

TND

135



Class II Distalizer

Medical grade stainless steel
provides excellent strength and durability

Concealed hinge
with great stability and smooth rotation

Low profile button
for easy hooking to elastics

Enlarged contoured base
for the best bonding strength

Contoured mechanic base
to fit patient tooth anatomy

Low profile round arm
for patient comfort



Before use

- 1.Excessive overbite
- 2.Incisor crowding
- 3.Molars deviating from the dental arch curve



After use

1. Molars restored to normal angulation
2. Crowding resolved without the need for extractions
3. Successfully converted molars and cuspid to Class I cases



SEPARATORS "S"

700pcs/bag

TND

20




lip protector (bumper)

2pcs / bag

TND

15



ART Anterior Root Torquing Auxiliary Arch

- 10pcs/bag
- MEDIUM
- SMALL

TND


15



Boutons linguales

TND

20



Strips abrasifs

Stainless steel electroplated strips
abrasifs.
Double face

TND

80




Eruption Eylet Single tube

10 pcs / bag

TND

29



Eruption Eylet Double tube

10 pcs / bag

TND

29



NiTi Open Spring

Medium Force
DIA: 0.012 * 0.030
Length: 180 mm

TND

14



Modern Orthodontics Tunisia

1 rue Ghar Melh Le Kram

Tunisie

0021646132350

 www.mot.tn

