



**MODERN
ORTHODONTICS
TUNISIA**

NEW CATALOG - 2026

Modern Orthodontics Tunisia

1 rue Ghar Melh Le Kram

Tunisie

0021646132350

 www.mot.tn




MSE II Starter Kit

- ① MSE Expander (8mm, 10mm & 12mm)
- ② Micro Implant ($\varnothing$ 1.8mm X 11,13,15,17 mm)
- ③ 2 Activation Keys (1 Short & 1 Long)
- ④ Mini Hand Driver
- ⑤ Ratchet Wrench Driver

TND

1200



MSE II refill kit

- ① MSE Expander (8mm, 10mm & 12mm)
- ② Micro Implant ($\varnothing$ 1.8mm X 11,13,15,17 mm)
- ③ 2 Activation Keys (1 Short & 1 Long)
- ④ Safety Leashes with ③ activation key

TND

590



Patient demonstration model

- ① Plastic model with midline suture
- ② MSE molded to two molar bands
- ③ Four micro-implants inserted
- ④ Key activation

TND

690




MSE II NEW

angled arms for small palate

TND

650



MSE II - 6 holes

- 6 miniscrew holes for improved skeletal anchorage & stability
- Ideal for thicker palatal bone cases

TND

650




MSE III Starter Kit

Two-time expansion
Accepts many accessories

TND

1500



MSE III Refill Kit

Two-time expansion
Accepts many accessories

TND

750



MSE Engine Driver (Mandrin)

- ① Short (SEB)
- ② Long (LEB)
- ③ compatible with miniscrews

TND

190



Other accessories

TND

On demand

Brackets Roth 0.022


MIM Standard Roth Brackets
with laser mark 345 with hook

TND

19

MIM Standard Roth Brackets


in/out	0.8	0.8	0.8	1.18	0.8	0.8	1.18	0.8	0.8	0.8
torgue	-7°	-7°	-2°	8°	12°	12°	8°	-2°	-7°	-7°
tip	0°	0°	11°	9°	5°	5°	9°	11°	0°	0°
width	3.1	3.1	3.6	3.1	3.6	3.6	3.1	3.6	3.1	3.1



in/out	0.8	0.8	0.8	1.18	1.18	1.18	1.18	0.8	0.8	0.8
torgue	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
tip	0°	0°	5°	0°	0°	0°	0°	5°	0°	0°
width	3.1	3.1	3.1	2.4	2.4	2.4	2.4	3.1	3.1	3.1

Monoblock Mini Roth Brackets

in/out	0.8	0.8	0.8	1.18	0.8	0.8	1.18	0.8	0.8	0.8
torgue	-7°	-7°	-2°	8°	12°	12°	8°	-2°	-7°	-7°
tip	0°	0°	11°	9°	5°	5°	9°	11°	0°	0°
width	2.8	2.8	3	2.8	3	3	2.8	3	2.8	2.8



in/out	0.8	0.8	0.8	1.18	1.18	1.18	1.18	0.8	0.8	0.8
torgue	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
tip	0°	0°	5°	0°	0°	0°	0°	5°	0°	0°
width	2.8	2.8	2.8	2.5	2.5	2.5	2.5	2.8	2.8	2.8

Brackets mini Roth 0.022

MIM mini Roth Brackets with
laser mark 345 with hook

TND

15





Self Ligating Brackets

MIM Metal Brackets Dental MINI
ROTH 022 345 Self-ligating
Braces

TND

120



Self Ligating Brackets open tool

TND

27



Screwdriver

TND

240



Engine blade

TND

350




Orthodontic miniscrew

Easy, safe and accurate insertion
Aesthetic satisfaction from small exposure in the oral cavity

TND

75




SHARP BUT
STRONG DRILL-
FREE END

EASY, SAFE AND
ACCURATE
INSERTION

MINIMIZES
ROOT AND
BONE DAMAGE

AESTHETIC
SATISFACTION
FROM SMALL
EXPOSURE IN THE
ORAL CAVITY

PRECISELY MACHINED



unit:mm									
ACR	d ₁	d ₂	ℓ ₁	ℓ ₂	ℓ ₃	D	Blade	Recommendation	
OAS-T1207	1.15	1.20	6.00	1.00	1.90	2.20	SDB12, SEB12, MHD12	Mandible	
OAS-T1208	1.15	1.20	6.50	1.50	1.90	2.20		Maxilla	
OAS-T1365	1.25	1.30	5.50	1.00	1.89	2.20		Retromandible	
OAS-T1375	1.25	1.30	6.00	1.50	1.89	2.20		Mandible	
OAS-T1506T ¹	1.50	1.80	5.00	1.00	2.10	2.20		Anterior	
OAS-T1507	1.45	1.50	6.00	1.00	2.10	2.20		For all uses	
OAS-T1508	1.45	1.50	6.50	1.50	2.10	2.20			
OAS-T1509	1.45	1.50	7.00	2.00	2.10	2.20		Thick soft tissue	
OAS-T1511	1.45	1.50	7.00	4.00	2.10	2.20			

¹ partially tapered








NiTi Archwires

- Available Numbers :
 - Round : 012/014/016/018
 - Rectang.: 16*16/16*22/17*25/18*25/19*25
- Forms : Ovoid, Rectangular, Orthoform
- ▲ Upper / ▼ Lower

TND

9.5



Stainless Steel Archwires

- Available Numbers :
 - Round : 012/014/016/018
 - Rectang.: 16*16/16*22/17*25/18*25/19*25
- Forms : Ovoid, Rectangular, Orthoform
- ▲ Upper / ▼ Lower

TND

9.5

Super Elastic NITI Archwire

Round	Size	Square	Ovoid	Natural
Upper	0.012" / 0.31mm	FN111-1U	FN112-1U	FN113-1U
	0.014" / 0.35mm	FN111-2U	FN112-2U	FN113-2U
	0.016" / 0.41mm	FN111-3U	FN112-3U	FN113-3U
	0.018" / 0.46mm	FN111-4U	FN112-4U	FN113-4U
	0.020" / 0.51mm	FN111-5U	FN112-5U	FN113-5U
Lower	0.012" / 0.31mm	FN111-1L	FN112-1L	FN113-1L
	0.014" / 0.35mm	FN111-2L	FN112-2L	FN113-2L
	0.016" / 0.41mm	FN111-3L	FN112-3L	FN113-3L
	0.018" / 0.46mm	FN111-4L	FN112-4L	FN113-4L
	0.020" / 0.51mm	FN111-5L	FN112-5L	FN113-5L

Rectangular	Size	Square	Ovoid	Natural
Upper	0.016x0.016" / 0.41x0.41mm	FN121-1U	FN122-1U	FN123-1U
	0.016x0.022" / 0.41x0.56mm	FN121-2U	FN122-2U	FN123-2U
	0.017x0.022" / 0.43x0.56mm	FN121-3U	FN122-3U	FN123-3U ★
	0.017x0.025" / 0.43x0.64mm	FN121-4U	FN122-4U	FN123-4U ★
	0.018x0.022" / 0.46x0.56mm	FN121-5U	FN122-5U	FN123-5U ★
	0.018x0.025" / 0.46x0.64mm	FN121-6U	FN122-6U	FN123-6U
	0.019x0.025" / 0.48x0.64mm	FN121-7U	FN122-7U	FN123-7U
	0.021x0.025" / 0.53x0.64mm	FN121-8U	FN122-8U	FN123-8U ★
Lower	0.016x0.016" / 0.41x0.41mm	FN121-1L	FN122-1L	FN123-1L
	0.016x0.022" / 0.41x0.56mm	FN121-2L	FN122-2L	FN123-2L
	0.017x0.022" / 0.43x0.56mm	FN121-3L	FN122-3L	FN123-3L ★
	0.017x0.025" / 0.43x0.64mm	FN121-4L	FN122-4L	FN123-4L
	0.018x0.022" / 0.46x0.56mm	FN121-5L	FN122-5L	FN123-5L ★
	0.018x0.025" / 0.46x0.64mm	FN121-6L	FN122-6L	FN123-6L
	0.019x0.025" / 0.48x0.64mm	FN121-7L	FN122-7L	FN123-7L
	0.021x0.025" / 0.53x0.64mm	FN121-8L	FN122-8L	FN123-8L ★

Stainless Steel Archwire

Round	Size	Square	Ovoid	Natural
Upper	0.012" / 0.31mm	FN411-1U	FN412-1U	FN413-1U
	0.014" / 0.35mm	FN411-2U	FN412-2U	FN413-2U
	0.016" / 0.41mm	FN411-3U	FN412-3U	FN413-3U
	0.018" / 0.46mm	FN411-4U	FN412-4U	FN413-4U
	0.020" / 0.51mm	FN411-5U	FN412-5U	FN413-5U ★
Lower	0.012" / 0.31mm	FN411-1L	FN412-1L	FN413-1L
	0.014" / 0.35mm	FN411-2L	FN412-2L	FN413-2L
	0.016" / 0.41mm	FN411-3L	FN412-3L	FN413-3L
	0.018" / 0.46mm	FN411-4L	FN412-4L	FN413-4L
	0.020" / 0.51mm	FN411-5L	FN412-5L	FN413-5L ★

Rectangular	Size	Square	Ovoid	Natural
Upper	0.016x0.016" / 0.41x0.41mm	FN421-1U	FN422-1U	FN423-1U
	0.016x0.022" / 0.41x0.56mm	FN421-2U	FN422-2U	FN423-2U
	0.017x0.022" / 0.43x0.56mm	FN421-3U	FN422-3U	FN423-3U ★
	0.017x0.025" / 0.43x0.64mm	FN421-4U	FN422-4U	FN423-4U ★
	0.018x0.022" / 0.46x0.56mm	FN421-5U	FN422-5U	FN423-5U ★
	0.018x0.025" / 0.46x0.64mm	FN421-6U	FN422-6U	FN423-6U
	0.019x0.025" / 0.48x0.64mm	FN421-7U	FN422-7U	FN423-7U
	0.021x0.025" / 0.53x0.64mm	FN421-8U	FN422-8U	FN423-8U ★
Lower	0.016x0.016" / 0.41x0.41mm	FN421-1L	FN422-1L	FN423-1L
	0.016x0.022" / 0.41x0.56mm	FN421-2L	FN422-2L	FN423-2L
	0.017x0.022" / 0.43x0.56mm	FN421-3L	FN422-3L	FN423-3L ★
	0.017x0.025" / 0.43x0.64mm	FN421-4L	FN422-4L	FN423-4L
	0.018x0.022" / 0.46x0.56mm	FN421-5L	FN422-5L	FN423-5L ★
	0.018x0.025" / 0.46x0.64mm	FN421-6L	FN422-6L	FN423-6L
	0.019x0.025" / 0.48x0.64mm	FN421-7L	FN422-7L	FN423-7L
	0.021x0.025" / 0.53x0.64mm	FN421-8L	FN422-8L	FN423-8L ★

★ on demand



NiTi Open Coil Spring

Size : 012x030"
Length : 3 feet (914mm)

TND

30



Retainer Wire

Size : 0.01*0.028*6inch
(W0.7mm,h0.25mm L 150mm)
package : 10pcs/bag
Material : Medical Stainless Steel

TND

57




Kobayashi Tie (Long)

022

TND

15




TOOTH TORQUE SPRING

- ① Available Numbers :
- 17x25
- 18x25
- ② Size : small, medium, large
- ③ Material : NiTi

TND

25



Molar tubes (4pcs)

- ① 1st or 2nd molar Roth tubes
- ② non convertible
- ③ Four tubes UR/UL/LR/LL
- ④ mesh based

TND

7



Ligature Tie

TND

20




Power Chain

5m/spool

TND

20




SLIDING CRIMPABLE HOOK

Left and right
2.1/3.1/5.4 mm
10pcs / bag

TND

25



O-RING INTRAORAL ELASTICS

- 1/8 5
- 1/8 6.5
- 3/16 5
- 3/16 6.5
- 1/4 5.0
- 1/4 6.5

TND

70



STOP LOCKS WITH HOOK

TND

50



Rotation wedge (10 pcs)

transparent
grey

TND

25



STOP LOCKS WITHOUT HOOK

TND

27



CRIMPABLE STOPS

0.5MM

TND

15



BITE OPENER

TND

25



TRACTION HOOK

rectangular
round

TND

20



rectangular Eyelet



TND

O.D



TONGUE TAMER

TND

25



cheek retractor

- Small
- Medium
- Large

TND

4



UNILATERAL CHEEK RETRACTOR

clear

TND

15



Pull Headgear Face Mask

with Double Lever
(masque de Delaire)

TND

75



MULTI FUNCTION CHEEK RETRACTOR

- LARGE
- MEDIUM
- SMALL

TND


15



Plastic Dental Storage Box

TND

5



Pull Headgear Facemask

(masque de Petit)

TND

75



LIGATURE GUN

TND

39



METAL CLASS II DISTALIZER

2 pcs / set

TND

135



Class II Distalizer

Medical grade stainless steel
provides excellent strength and durability

Concealed hinge
with great stability and smooth rotation

Low profile button
for easy hooking to elastics

Enlarged contoured base
for the best bonding strength

Contoured mechanic base
to fit patient tooth anatomy

Low profile round arm
for patient comfort



Before use

- 1.Excessive overbite
- 2.Incisor crowding
- 3.Molars deviating from the dental arch curve



After use

1. Molars restored to normal angulation
2. Crowding resolved without the need for extractions
3. Successfully converted molars and cuspid to Class I cases



SEPARATORS "S"

700pcs/bag

TND

20




lip protector (bumper)

2pcs / bag

TND

15



ART Anterior Root Torquing Auxiliary Arch

- 10pcs/bag
- MEDIUM
- SMALL

TND


15



Lingual buttons

TND

20



Abrasive strips

Stainless steel electroplated abrasive strips.
Double-sided

TND

80




Eruption Eyelet Single tube

10 pcs / bag

TND

29



Eruption Eyelet Double tube

10 pcs / bag

TND

29



NiTi Open Spring

Medium Force
DIA: 0.012 * 0.030
Length: 180 mm

TND

14



Crimpable double tubes

10 pcs / bag

TND

19




Ni-Ti Close Spring

Medium Force
Diameter: 0.012 inch
Length: 3 mm
10 pcs / pack

TND

14



Stainless Steel Ligature Wire

- Product: Stainless steel ligature wires
- Diameter: 0.25 mm
- Packaging: 50 g/roll

TND

O.D



Sleeve



PROTECTION DE L'ARC



CONFORT MAXIMAL

TND

O.D

